

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	672	709/249 and host\$4 and (cop\$4 or duplicat\$4 or replicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 13:44
L2	0	709/249 and host\$4 and (self-cop\$4 or self-duplicat\$4 or self-replicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 13:43
L3	0	709/249 and (self-cop\$4 or self-duplicat\$4 or self-replicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 13:43
L5	0	709/249 and (self-cop\$4 or self-duplicat\$4 or self-replicat\$4 or (self adj replicat\$4) or (self adj cop\$4) or (self adj duplicat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 13:44
L6	55	709/249 and host\$4 and replicat\$4 and (load same balanc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 13:45
S1	3	(self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expand\$4 or (self adj expand\$4)) and (module\$2 or routine\$2 or subroutine\$2 or program\$2 or software) and (host\$3 or server\$2 or client\$4) and ((redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) same (resourc\$3 or symbiot\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 06:23

EAST Search History

S2	3	S1 and load\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:08
S3	3	(self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4)) and (load same balanc\$4 and ((redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) same (resourc\$3 or symbiot\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:14
S5	50	(self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4)) and (balanc\$4 same (load\$4 or resourc\$4 symbiot\$2)) and (redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:21
S6	43	S5 and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 15:10
S7	94	(self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4)) and balanc\$4 and (load\$4 or resourc\$4 symbiot\$2) and (redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 07:02

EAST Search History

S8	51	S7 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:23
S9	0	((self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4)) adj (agent\$2 or module\$2 or script\$4 or program\$2 or file\$2)) and balanc\$4 and (redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:29
S10	5	((self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4)) adj (agent\$2 or module\$2 or script\$4 or program\$2 or file\$2)) and (redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:35
S11	0	((self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4)) adj resourc\$3) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:33

EAST Search History

S12	233	((self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4)) and (agent\$2 or module\$2 or script\$4 or program\$2 or file\$2)) and (redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:41
S13	48	S12 and (balanc\$4 same (load\$4 or resourc\$3 or application\$2 or servic\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:41
S14	197	((self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4)) and (agent\$2 or module\$2 or script\$4 or program\$2)) and (redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:41
S15	48	S14 and (balanc\$4 same (load\$4 or resourc\$3 or application\$2 or servic\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 08:49
S16	2	"20020166117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:52

EAST Search History

S17	5	(self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4)) and (network adj (load\$4 or resourc\$4)) and (redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 15:09
S18	9190	agent\$2 same (replicat\$4 or repleat\$4 or cop\$4 or duplicat\$4) and load\$4 and balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 15:14
S20	85	agent\$2 same (replicat\$4 or repeat\$4 or cop\$4 or duplicat\$4) same ((load\$4 or resourc\$3) same balanc\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 06:23
S24	1338	(self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4) or replicat\$4 or repeat\$4 or cop\$4 or clon\$4) and (module\$2 or routine\$2 or subroutine\$2 or program\$2 or software) and (host\$3 or server\$2 or client\$4) and ((redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) same (resourc\$3 or symbiont\$2)) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 06:54
S25	85	(agent\$2 or subroutne\$2 or routne\$2) same (replicat\$4 or repeat\$4 or cop\$4 or duplicat\$4) same ((load\$4 or resourc\$3) same balanc\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:45

EAST Search History

S26	1	(self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4) or self-distribut\$4 or (self adj distribut\$4)) and (agent\$2 or applet\$2 or servlet\$2 or cardlet\$2 or merlet\$2 or module\$2 or routine\$2 or subroutine\$2 or program\$2 or software) and (host\$3 or server\$2 or client\$4) and ((redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) same (resourc\$3 or symbiont\$2)) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:12
S27	1	(self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4) or self-distribut\$4 or (self adj distribut\$4)) and (agent\$2 or applet\$2 or servlet\$2 or cardlet\$2 or merlet\$2 or module\$2 or routine\$2 or subroutine\$2 or program\$2 or software) and (load same balanc\$4) and ((redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) same (resourc\$3 or symbiont\$2)) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 07:01
S28	1	S27 and ring\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 07:00
S30	347	S24 and ring\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:46

EAST Search History

S32	99	(self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expland\$4 or (self adj expand\$4) or self-distribut\$4 or (self adj distribut\$4)) and balanc\$4 and (load\$4 or resourc\$4 symbiot\$2) and (redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 07:02
S33	90	S32 and ring\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 07:13
S34	2	S25 and ((redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) same (resourc\$3 or symbiont\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 09:16
S35	370	(agent\$2 or subroutne\$2 or routne\$2) same (replicat\$4 or repeat\$4 or cop\$4 or duplicat\$4 or distribut\$4) same ((load\$4 or resourc\$3) same balanc\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:45
S37	1	S35 and (logical\$4 same ring\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:48
S38	6720	(encapsulat\$4 same resource\$2) and ((replicat\$4 or repeat\$4 or cop\$4 or duplicat\$4) same ((load\$4 or resourc\$3) same balanc\$4)) and (@ad< "20020301" @rlad< "20020301") (logical\$4 same ring\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:50

EAST Search History

S39	6617	(encapsulat\$4 same resource\$2) same ((replicat\$4 or repeat\$4 or cop\$4 or duplicat\$4) same ((load\$4 or resourc\$3) same balanc\$4)) and (@ad< "20020301" @rlad< "20020301") (logical\$4 same ring\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:52
S40	6615	(encapsulat\$4 same resource\$2) near3 ((replicat\$4 or repeat\$4 or cop\$4 or duplicat\$4) near3 ((load\$4 or resourc\$3) same balanc\$4)) and (@ad< "20020301" @rlad< "20020301") (logical\$4 same ring\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:52
S41	0	(encapsulat\$4 same resource\$2) near3 ((replicat\$4 or repeat\$4 or cop\$4 or duplicat\$4) near3 ((load\$4 or resourc\$3) same balanc\$4)) and (@ad< "20020301" @rlad< "20020301") and (logical\$4 same ring\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:51
S42	0	(encapsulat\$4 same resource\$2) near3 ((replicat\$4 or repeat\$4 or cop\$4 or duplicat\$4) near3 ((load\$4 or resourc\$3) same balanc\$4)) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:52
S43	2	(encapsulat\$4 same resource\$2) same ((replicat\$4 or repeat\$4 or cop\$4 or duplicat\$4) same ((load\$4 or resourc\$3) same balanc\$4)) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:53
S44	2	S43 and (server\$2 or client\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 08:53
S45	10	S25 and (redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:15
S46	79	S25 and (rout\$4 or direct\$4 or redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:20

EAST Search History

S47	74	S46 and (predeterin\$3 or pre-determin\$4 or (pre adj determin\$4) or limit\$4 or threshold\$2 or level\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:38
S48	76	S46 and (predeterin\$3 or pre-determin\$4 or (pre adj determin\$4) or limit\$4 or threshold\$2 or level\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:21
S52	0	kiam.inv. with cho	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:39
S53	1716	verity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:40
S54	163	verity near2 inc\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:42
S55	7	S54 and encapsulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 09:42
S56	379	(encapsulat\$4 same resourc\$3) and (load same balanc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:55
S57	173	(encapsulat\$4 same resourc\$3) and (load\$4 same balanc\$4) and (replicat\$4 or redirect\$4 or re-direct\$4 or re-replicat\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:56

EAST Search History

S58	130	S57 and agent\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 11:08
S59	112	S58 and host\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 09:47
S60	89	S59 and logical\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 08:47
S61	7	hotspot\$2 and (encapsulat\$4 same resource\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 08:48
S62	197	((self-replicat\$4 or (self adj replicat\$4) or self-cop\$3 or (self adj cop\$3) or self-duplicat\$4 or (self adj duplicat\$4) or self-clon\$4 or (self adj clon\$4) or self-repeat\$4 or (self adj repeat\$4) or self-expand\$4 or (self adj expand\$4)) and (agent\$2 or module\$2 or script\$4 or program\$2)) and (redirect\$4 or rerout\$4 or re-direct\$4 or re-rout\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 08:49
S63	48	S62 and (balanc\$4 same (load\$4 or resourc\$3 or application\$2 or servic\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 09:40
S64	163	verity near2 inc\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 09:42

EAST Search History

S65	7	S64 and encapsulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 09:45
S66	3	S65 and balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 09:45
S67	173	(encapsulat\$4 same resourc\$3) and (load\$4 same balanc\$4) and (replicat\$4 or redirect\$4 or re-direct\$4 or re-replicat\$4) and (@ad< "20020301" @rlad< "20020301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 09:47
S68	130	S67 and agent\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 09:47
S69	109	S68 and host\$4 and replicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 09:48
S70	112	S68 and host\$4 and (cop\$4 or duplicat\$4 or replicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 13:39
S71	110	S68 and host\$4 and request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 09:55